

Atlas of sheep and goat diseases

Luis Miguel Ferrer
Hossein Esmaeili
Delia Lacasta
Juan José Ramos



dr.Herriot






TABLE OF CONTENTS

Acknowledgements	V
Authors	VI
Foreword	VIII
Preface	X
Chapter 1:	
Congenital diseases	1
Craniofacial congenital disorders	2
Acephaly and anencephaly	2
Hydrocephalus/hydranencephaly	3
Meningocele	4
Encephalocele	5
Microtia and anotia	5
Nasal defects	6
Mouth defects	7
Defects of the eye and attached structures	9
Congenital blindness	11
Holoprosencephaly	12
Polycerism and polled animals	12
Defects of the digestive system	14
Anal atresia	14
Intestinal hypoplasia	14
Gallbladder defects	15
Umbilical hernia	15
Urinary system defects	16
Renal hypoplasia	16
Hydronephrosis	16
Polycystic kidney	17
Persistent urachus	17
Hypospadias	18
Defects of the reproductive system	19
Scrotal hernia	19
Intersex	19
Polymastia and polythelia	22
Gynecomastia	23
Defects of the locomotor system	24
Tendon retraction	24
Osteochondrodysplasia	25
Spinal malformations	26
Hindlimbs paresia	28
Amelia and polymelia	28
Polydactyly and syndactyly	30
Multiple malformations	30

Defects of the nervous system	31
Skin defects	32
Albinism	32
Congenital photosensitization	32
Hypertrichosis	32
Hypotrichosis	32
Cutaneous asthenia	33
Skin aplasia	33
Bullous epidermolysis	33
Cardiovascular system	34
Persistent atrial and ventricular perforation	34
Tetralogy of Fallot	35
Patent ductus arteriosus	35
Lymphangiomas	35
Single monsters	36
<i>Schistosomus reflexus</i>	36
<i>Perosomus elumbis</i>	36
Mola	36
Compound monsters	37
Monsters in H	37
Monsters in Y	37
Monsters in λ	38
Foetal diseases	38
Ascites	38
Anasarca	39
Congenital goitre	40
Chapter 2:	
Diseases affecting newborn lambs and kids	41
Peripartum asphyxia	42
Umbilical cord-associated disorders	43
Premature neonates	43
Hypothermia and starvation	44
Poor colostrum intake	49
Injuries and accidents	50
Chapter 3:	
Respiratory disorders	53
Respiratory disorders in lambs and kids	54
Rhinitis	54
Tracheitis	55
Clinical signs of lower respiratory tract disorders	55
Ribs fractures and pneumonia	57
Deviant swallowing and gangrenous pneumonia	59
Ovine respiratory complex (ORC)	60
Verminous pneumonia	65
Pulmonary aspergillosis	66
Pulmonary cysticercosis	66
Purulent pneumonia	66



Pulmonary necrobacillosis	67
Emphysematous blebs and bullas	67
Adults: upper respiratory tract	68
Introduction.....	68
Rhinitis and nasal deformities	70
Acute rhinitis.....	70
Chronic rhinitis	71
Purulent rhinitis	71
Obstructive rhinopathy associated with pithomycotoxicosis	72
Chronic proliferative rhinitis	73
Enzootic nasal adenocarcinoma (ENA)	74
Tumours	75
Oestrosis	76
Conidiobolomycosis	78
Pythiosis.....	79
Sinusitis	79
Laryngeal hemiplegia	80
Laryngitis and tracheitis.....	80
Tracheal ring rupture.....	82
Tracheal crush.....	83
Adults: lower respiratory tract	86
General aspects of respiratory diseases	86
Foreign body aspiration and inhalation pneumonia	87
Gangrenous pneumonia	89
Pleuritis with pleural adhesions.....	91
Pulmonary atelectasis.....	92
Pulmonary haemorrhages.....	94
Emphysema	95
Pleural effusion	96
Purulent pneumonia and thorax cavity abscesses	97
Caseous lymphadenitis (CLA) (visceral form)	99
Tuberculosis.....	101
Ovine pulmonary adenocarcinoma (OPA)	102
Pulmonary lentiviruses (Maedi).....	104
Ovine respiratory complex (ORC)	106
Other bacterial infections of the lung	110
Verminous pneumonia.....	111
Hydatidosis.....	113
Cysticercosis.....	113
Infiltrative mycotic granuloma.....	114
Leukosis	115
Scar retractions and aseptic caverns.....	115
Iatrogenic pneumonia due to vaccine injection in the lung	116
Chapter 4:	
Digestive system disorders	117
Young animals	118
Trauma	118
High milk consumption diarrhoea.....	119
Hypoglycaemia and endotoxic colibacillosis (watery mouth syndrome)	120
Enteric colibacillosis	124
Septicaemic colibacillosis	128
Haemorrhagic enterotoxaemia.....	133
Salivary abomasum disease (SAD)	135

Lamb dysentery.....	139
Cryptosporidiosis	142
Coccidiosis	145
Campylobacteriosis	151
Terminal ileitis	152
Other digestive clostridiosis.....	154
Abomasitis	159
Intestinal strangulation, volvulus and invagination	160
Ruminal disorders.....	161
Visceral cysticercosis	166
Omphalitis-liver/abscess syndrome.....	170
Adult animals	174
Oral cavity: soft tissues	174
Mucosal colour changes	174
Salivary glands	176
Soft tissue tumours	177
Parasites in the mouth	178
Spikelets in soft tissues.....	179
Cutaneous horn.....	181
Plants that can cause damage in the oral mucosa.....	182
Chemical agents.....	183
Photosensitisation.....	183
Traumatic oral disorders.....	184
Inflammations associated with local or multisystemic infectious disorders.....	185
Actinobacillosis.....	187
Others	187
Oral cavity: hard tissues.....	188
Prognathism and brachygnathism.....	188
Inverted and ectopic teeth.....	189
Crossbite	190
Dental pigmentation.....	190
Incisors separation and loss (broken mouth)	191
Incisors food impaction	194
Molar food impaction.....	194
Loss of molar aligment.....	197
Asymmetry and fistulas	197
Actinomycosis.....	199
Oropharynx and oesophagus	200
Caseous lymphadenitis (CLA) lesions in the oropharynx.....	200
Foreign bodies in the oropharynx	201
Sarcocystosis.....	202
Oesophagitis and ulcers.....	203
Megaoesophagus	204
External pressure of the oesophagus	205
Injuries due to improper management.....	206
Stomach	208
Rumen overload	208
Bloat.....	210
Ruminal alkalosis.....	211
Ruminal acidosis	212
Acute ruminitis	214
Ruminal ulcers	214
Hyperkeratosis y parakeratosis.....	215
Bezoars	216



Foreign bodies	217
Ruminal parasitosis	218
Reticulum disorders	218
Omasum	219
Parasitic abomasitis	219
Infectious abomasitis	221
Abomasal ulcers	222
Vagal indigestion or Hoflund syndrome	223
Intestine	224
Enteritis	224
Haemorrhages and ulcers	225
Type D enterotoxaemia or pulpy kidney	226
Type A enterotoxaemia	230
Johne's disease or paratuberculosis	232
Intestinal parasitism	234
Intestinal adenocarcinoma	237
Other intestinal affections	237
Faeces	238
Miscellaneous disorders of the digestive system	242
Diaphragmatic hernia	242
Abdominal wall hernia	243
Abdominal haemorrhages	244
Visceral cysticercosis	245
Fat necrosis	246
Caseous lymphadenitis (CLA) in the abdominal cavity	246
Peritonitis	247
Ascites	249
Rectal prolapse	250
Rectum vaginal fistula	251
Liver disorders	252
Hepatic melanosis	252
Hepatic jaundice	252
Hepatic haemorrhages	253
Hepatic telangiectasia	254
Hepatic aneurysms	254
Hepatocellular carcinoma	255
Leukosis	255
Fatty necrosis and pregnancy toxemia	256
Focal hepatitis	259
Necrotic hepatitis	259
Cirrhosis	260
Hepatic abscesses and caseous lymphadenitis	261
Tuberculosis	261
Dicrocoeliosis	262
Fasciolosis	263
Cysticercosis	264
Hydatidosis	266
Biliary obstruction	268
Infectious diseases	270
Bluetongue (BT)	270
Foot and mouth disease (FMD)	274
Contagious ecthyma (Orf)	280
Sheep and goat pox	286
Peste des petits ruminants (PPR)	292

Chapter 5:	
Urinary system disorders	297
Renal torsion	298
Kidney sequestration	299
Renal hyperaemia and haemorrhages	299
Bilateral renomegaly	300
Abnormal pigmentation	300
Kidney infarction	302
Renal cyst and polycystic kidneys	303
Purulent nephritis	303
Pulpy kidney	305
Renal cortical necrosis. Shock kidney and nephrotic syndrome	306
Renal leukosis	307
Calcifications in renal tubules	307
Tubular necrosis	307
Glomerulonephrosis	308
Medullary crest necrosis	308
Interstitial nephritis	309
Alterations of renal pelvic fat	310
Urolithiasis and hydronephrosis	310
Pyelonephritis	313
Cystitis	314
Urethritis	315
Persistent urachus	315
Urine changes	316
Adrenal tumours	317
Chapter 6:	
Diseases of the male	319
Disorders of the male reproductive system	320
Disorders of the scrotum and its contents	320
Forked scrotum or testicular separation	320
Scrotal skin disorders	320
Periorchitis	323
Scrotal hernia	325
Hydrocele, pyocele and haematocoele	327
Monorchidism and cryptorchidism	328
Testicular hypoplasia and atrophy	329
Albuginitis	330
Testicular flaccidity	330
Testicular mineralization	331
Orchitis	332
Epididymitis	334
Testicular caseous lymphadenitis	336
Varicocele	336
Disorders of the penis and prepuce	338
Penis-prepuce adhesions	338
Phimosis and paraphimosis	338
Penis paralysis	339
Foreign material in the glans	339
Posthitis	340
Prepuce prolapse	342
Malignant oedema	342
Incidental injury of prepuce	343



Abscesses in the prepuce-penis	343
Male apron	344
Intersexes.....	344
Urethral failure.....	345
Other disorders of the male reproductive system.....	346
Inflammation of the vesicular and prostatic glands.....	346
Inflammation of the bulbourethral glands	346
Gynecomastia	347
Supernumerary nipples in males.....	347
Typical non-reproductive disorder of the male.....	348
Fights and injuries.....	348
 Chapter 7:	
Diseases of the female	351
Disorders of the female reproductive system	352
Reproductive system	352
Parasites in vulva	352
Vulvar hypoplasia	353
Vulvar wounds.....	354
Vulvar swelling and oedema	355
Vaginitis	357
Foreign bodies in the vagina	359
Vaginal tumours	360
Uterine haemorrhages	360
Metritis.....	361
Endometrial cystic hyperplasia	362
Hydrometra and mucometra.....	363
Salpingitis.....	363
Ovarian abscesses.....	364
Uterus oedema	364
Cysticercosis in uterus	365
Pregnancy and lambing/kidding disorders	366
Abortion without expulsion	366
Abortion. Foetal death and expulsion	368
Nutrition-related abortions.....	380
Vaginal prolapse.....	380
Obstetrical disorders.....	382
Placental retention.....	388
Uterine tear.....	388
Uterine prolapse.....	389
Postpartum paresia	389
Mammary gland disorders	390
Mammary oedema	390
Contagious ecthyma	390
Impetigo.....	391
<i>Pelodera</i> spp. dermatitis.....	391
Cutaneous myiasis.....	392
Simulotoxicosis.....	392
Pruritus	393
Carcinoma.....	393
Warts	394
Mastitis	394
Disorders of the nipples and udder cistern.....	405

Chapter 8:	
Locomotor system disorders	409
Young animals	410
Congenital lameness.....	410
Disorders of muscular origin: white muscle disease	411
Other disorders of muscular origin	413
Disorders of bone origin.....	415
Polyarthrititis	417
Finger and hoof conditions.....	420
Lameness of neurologic origin	422
Iatrogenic lameness	425
Adult animals	428
Disorders of skin origin	428
Skin infections and parasites.....	428
Skin damage due to irrigation deficit	430
Erosions and decubitus ulcers	430
Bites	431
Musculoskeletal secondary infections	432
Tumours	433
Disorders of muscular origin	434
Tumours	434
Iatrogenic muscle necrosis.....	434
Disorders of vascular origin	435
Oedema	435
Thrombosis.....	435
Malignant oedema.....	435
Disorders of bone, joint and tendon origin	437
Fractures.....	437
Dislocations and dysplasias.....	439
Bursitis and hygroma	440
Arthritis and arthrosis.....	441
Tendon disorders.....	444
Osteomalacia.....	445
Feet disorders.....	446
Disorders of the interdigital space and coronary band	446
Laminitis.....	451
Other hoof disorders.....	454
Disorders of neurological origin	460
Disorders of central origin	460
Medullary affections	462
Disorders in peripheral nerves	463
 Chapter 9:	
Nervous system disorders	465
Young animals	466
Congenital defects	466
Border disease. Hairy shaker lambs	466
Tetanus and tetany	466
Congenital myotonia	467
Encephalitis and meningoencephalitis.....	468
Poliencephalomalacia or cerebrocortical necrosis (CCN).....	469
Enzootic ataxia or swayback	471
Organophosphate poisoning	471



Adult animals	472
Intracranial central nervous lesions	472
Spongiform encephalopathy or scrapie	472
Aujeszky's disease or pseudorabies	473
Small ruminant lentiviruses (SRLV)	474
Listeriosis	475
Other bacterial meningoencephalities	476
Tetanus	478
Botulism	479
Coenurosis	480
Hydatidosis	482
Pregnancy toxæmia or ketosis	482
Poliencephalomalacia	483
Brain tumours	484
Other disorders of the central nervous system	484
Cranial nerves disorders	487
Spinal cord conditions	492
Spinal cord lesions	492
 Chapter 10:	
Ocular disorders	495
Young animals	496
Congenital disorders	496
Blindness associated with <i>E. coli</i>	498
Adult animals	500
Periorbital disorders of the eyelid and conjunctiva	500
Ocular trauma	500
Conditions of the sinus and infraorbital recess	500
Dermoid cysts	501
Blepharodermatitis	501
Periocular dermatitis of other aetiologies	504
Traumatic blepharitis	506
Palpebral disorders	507
Periocular tumours	510
Dermatosis	511
Conditions of the conjunctival region	512
Conjunctivitis	512
Variations in the colour of the conjunctiva	514
Chemosis	515
Foreign bodies	516
Nictitating membrane or third eyelid conditions	516
Conditions of the eyeball	517
Volume changes	517
Glaucoma	518
Alterations of the position in the ocular orbit	519
Corneal disorders	521
Disorders of the uvea	528
Disorders of the contents of the anterior chamber	531
Pupil disorders	531
Crystalline disorders	532
Conditions of the fundus of the eye	534
Bulbar and retrobulbar tumours	536
Neurological disorders with ocular alterations	537

Chapter 11:	
Skin and subcutaneous tissue disorders	539
Diseases produced by prions	544
Scrapie	544
Diseases caused by viruses	544
Aujeszky's disease	544
Contagious ecthyma (Orf)	545
Contagious ulcerative dermatosis (CUD)	546
Bluetongue	546
Foot and mouth disease (FMD)	547
Sheep and goat pox	547
Peste des petits ruminants (PPR)	548
Bacteriological skin disorders	548
Dermatophilosis (cutaneous streptothricosis)	548
Fleece-rot	550
Cutaneous staphylococci	550
Skin clostridiosis	553
Abscesses	555
Caseous lymphadenitis (superficial or cutaneous form)	556
Disorders of the skin of the interdigital space	558
Fungal and yeast skin disorders	558
Dermatophytosis or ringworm	558
Disorders caused by parasitic arthropods and nematodes	561
Mange	561
Ticks	564
Lice	566
Fleas	567
Flies and other insects	568
Worms	572
Nutritional diseases	573
Micromineral and vitamin deficiencies	573
Wool loss and wool ingestion	575
Poisoning	577
Photosensitisation or acute photosensitising dermatitis	578
Photosensitisation: clinical signs	578
Photosensitisation: etiopathogenesis	580
Injuries of environmental origin	582
Injuries due to mechanical causes	582
Injuries from physical causes	586
Immune-mediated diseases	589
<i>Pemphigus foliaceus</i>	589
Allergic contact dermatitis	590
Skin reaction to drugs	590
Neoplasia	591
Most frequent tumours in small ruminants' skin	591
Trauma	595
Traumatic skin injuries	595



Chapter 12:
Circulatory and haemopoietic systems disorders 599

Heart 600

 Pericarditis..... 600

 Pericardial effusion..... 602

 Serous atrophy 602

 Myocardial conditions..... 603

 Traumatic reticuloperitonitis 608

Spleen disorders 608

 Splenomegaly 608

 Tumours 609

 Abscesses 609

Bone marrow disorders 609

 Changes in colour 609

Affections of the thymus 609

 Thymoma 609

Blood and blood vessels..... 610

 Haemorrhages 610

 Changes in blood colour..... 611

 Abnormal blood vessels..... 612

 Anthrax 613

 Copper poisoning 614

 Babesiosis..... 615

 Haemolymphatic nodes..... 615

Lymphatic vessels and lymph nodes..... 616

 Diseases affecting the lymphatic vessels 616


 Lymphadenitis 617

Alphabetical index 618







HYPOTHERMIA AND STARVATION




2.4. Hypothermia. This process can be environmental, in the case of low external temperatures, air currents, humid floors and little bedding, as well as due to lack of attention from the mother when she does not properly clean and dry the lamb (A and B). It can also be due to starvation, when the animal does not take colostrum in the first hours of life or receives insufficient milk during the following days, before starting to take solid food.

2.5. Clinical signs. Hypothermic animals present a characteristic posture: shrunken and with a slightly marked abdomen due to the absence or little ingested food (A and B). Frequently, they are close to a mother with little milk (C) or bleating in search of her mother (D). The problem is aggravated in very prolific litters (E) or with siblings with a significant difference in birth weight (F).






3.23. Chronic: fibrous pleurisy. Fibrinous pleurisy progresses to fibrous pleurisy with pleural adhesions (A and B).




3.24. Chronic: evolution of the process. Occasionally, animals may end up presenting gangrenous pneumonia (A) due to difficulty in breathing, or a lesion exacerbation may occur (B).

VERMINOUS PNEUMONIA



3.25. Verminous pneumonia. In grazing lambs or kids, same as in adults, parasitic nodules of small pulmonary strongyles can be found on the dorsal area of the lung (A). Likewise, atelectasis caused by *Dictyocaulus filaria* is observed in the diaphragmatic lobes (B).



3.26. Histopathology. Parasites can be seen in the histologic sections of the lung parenchyma. *Picture courtesy of Dr. J. A. Castillo.*




3.27. Larvae in faeces. The coprological test allows us to differentiate the larvae from the small and large lung strongyles since they present very different sizes. *Picture courtesy of Dr. J. A. Castillo.*



TRACHEAL RING RUPTURE




3.72. Tracheal ring rupture. Separation of two tracheal rings is rare, but it can occur after receiving a solid blow against a thin and robust structure (tensioned fencing wire). This condition can be easily detected during the clinical examination.



3.73. Postmortem findings. In this case, the dissection of the area at necropsy let us observe the healed lesion (A and B) that allowed the animal to live. The opening of the trachea showed a retracted fibrous scar that almost completely closed the tracheal lumen (C and D), making breathing difficult.


TRACHEAL CRUSH




3.74. Tracheal crush. Various external pressures exerted by feeders, trauma, etc., can affect the cervical part of the trachea, finding up to 15% of affected animals in some flocks. These injuries can be punctual, affecting one or several rings (A), or cause the crushing of a large part or all of the cervical trachea, affecting several rings (B). The cross-sections of the trachea allow us to observe the anomalies in its structure (C). Both external (D) and internal (E) observations show the changes in the shape of the rings and the tracheitis that usually accompanies the process.



INFILTRATIVE MYCOTIC GRANULOMA




3.135. Mycotic granuloma in the lung. The fungus acts infiltratively in an *Aspergillus fumigatus* infection, leaving the lung enlarged and deformed (A). The parenchyma breaks easily, showing a grainy appearance (B and C) and being completely smooth when cut (D). The granuloma can also infiltrate the costal wall and the thoracolumbar vertebrae, causing locomotor disorders in the hindlimbs.




3.136. Histopathological image. The histopathological study of the lung allows us to see the structures of *Aspergillus fumigatus* distributed throughout the granuloma. Picture courtesy of Dr. M.J. Buitrago.

LEUKOSIS




3.137. Postmortem findings. Ovine leukosis is a very rare disease, possibly related to the bovine leukosis virus. It can be found in a multisystemic way, forming white nodules in the parenchyma of different organs (A). At the respiratory level, we can find it in the thoracic cavity wall, lung and mediastinal lymph nodes (B-D).

SCAR RETRACTIONS AND ASEPTIC CAVERNS



3.138. Scar retractions. After suffering chronic pneumonic disorders, it is possible to find lungs with atrophied areas, possibly of scar origin (A-C).



4.32. Abomasal petechiae. When removing abomasal content, petechiae can be seen in the surface of the abomasum that stains its content. Sometimes, large milk clots can also be found together with the petechiae.



4.34. Intestinal fluid in colibacillary diarrhoea. The opening of the intestine lets the bright yellow contents flow.



4.33. Catarrhal enteritis. The intestine shows catarrhal enteritis, with reactive Peyer's patches, with very marked blood vessels and yellowish contents (A and B).





4.35. Intestinal loops affected by catarrhal and haemorrhagic enteritis. In some intestinal loops, catarrhal enteritis evolves to haemorrhagic, with more bloody content that stains the previous yellow (A and B).



4.36. Catarrhal-haemorrhagic enteritis. Haemorrhagic enteritis can affect almost the entire digestive package, especially at the end of the first week of life and the beginning of the second. At this time, *Escherichia coli* and *Clostridium perfringens* type B predominate in bacterial isolates.




4.37. Mixed diarrhoea caused by *E. coli* and *Cryptosporidium*. Throughout this period, the lamb may be simultaneously infected by *Cryptosporidium* sp. In these cases, the affected intestinal loops contain a more greenish material, easily visible when the intestine is opened.



4.38. Haemorrhagic enteritis. Over time, enteritis found is predominantly haemorrhagic, and *E. coli* is less frequently isolated and *Cl. perfringens* type B is usually found, and even type D in animals that reach the third week of life (A-C).



PLANTS THAT CAN CAUSE DAMAGE IN THE ORAL MUCOSA




4.141. Plants that can cause damage in the oral mucosa. Some plants can damage the skin of the face and the inner mucous membranes. The most important are classified as: sharp (*Xanthium spinosum*) (A and B), urticants (*Urtica* sp.) (C and D) and irritants (*Phytolacca americana*) (E and F).

CHEMICAL AGENTS



4.142. Sialorrhea. Some chemicals with very high or low pH and some plants (see the previous point) can cause irritation and the consequent increase in the production of saliva and hypersalivation. The same clinical signs are observed in the consumption of bitter-tasting diets that stimulate the production of saliva.

PHOTOSENSITISATION *(see chapter 11, page 578)*

4.143. Photosensitisation. Different physical, chemical and biological agents can cause inflammation and oedema in the face and lips. Different degrees of facial swelling and oedema caused by photosensitisation can be seen in the images (A and B).



4.229. Clostridial abomasitis. Many microorganisms can cause abomasitis, but those of the genus *Clostridium* are usually the most frequent. *Clostridium septicum* causes acute haemorrhagic abomasitis (A), while *Clostridium sor-dellii* causes abomasitis with emphysema of the abomasal mucosa (B).



4.230. Rupture of the abomasum. Some severe aboma-sitis can lead to rupture of the abomasum and subsequent peritonitis and death.

ABOMASAL ULCERS



4.231. Abomasal ulcers. These ulcers can have a very varied aetiology, mainly related to the pH of its content and infectious agents such as *Clostridium*.



4.232. Pyloric ulcer. When abomasal ulcers are near the pylorus, these can interfere with its function, causing the posterior vagal syndrome and food retention.

VAGAL INDIGESTION OR HOFLUND SYNDROME



4.233. Posterior vagal syndrome. Disorders of the vagus nerve branch that innervates the pylorus can affect its functionality and cause retention and increase in digestive content (A). In small ruminants, these conditions can be caused by the pressure of calcified cysticerci in the omen-tum of the pyloric proximities (B).



4.234. Reflux ulcers. In this disorder, it is common to find stomach ulcers due to the reflux of hydrochloric acid from the abomasum.



4.235. Pyloric ulcers (see abomasal ulcers). Vagal indi-gestion can be caused by the presence of ulcers in the vi-cinity of the pylorus (A), generating retention of the content (B and C).




GLOMERULONEPHROSIS



5.23. Renal amyloidosis. The affected kidneys are enlarged with many white dots on their surface that go deep into the cortical section (A-C). These are deposits of amyloid substance and are associated with chronic purulent processes, especially gangrenous pneumonia and purulent mastitis.

MEDULLARY CREST NECROSIS



5.24. Medullary crest necrosis. It is a necrosis of the medullary crest caused by the ischemia of the inner medulla and can be primary or secondary. Primary lesions occur in animals treated with NSAIDs. Secondary crest necrosis is caused by factors such as pyelitis/pyelonephritis, pelvic calculi and reduced blood flow in the vasa recta.

INTERSTITIAL NEPHRITIS



5.25. Interstitial nephritis. Interstitial nephritis is characterised by inflammatory and degenerative changes in the tubules and the renal interstitium associated with septicaemia, poisoning or certain treatments. The kidneys are turgid, and there may be adhesions of the injured areas to the renal capsule deepening into the renal parenchyma and making it difficult to detach the renal capsule (A and B).



5.26. Chronic interstitial nephritis. These lesions tend to become chronic and heal, leaving images of retracted kidneys with a very evident whitish stippling (A and B).



6.8. Scrotal warts.



6.9. Skin tags.



6.10. Scrotal scabies. (A and B).



6.11. Atopic alopecia.




6.12. Normal pigmentation. Normal pigmentation of the scrotum may be confused with abnormal conditions.




6.13. Castration with Burdizzo pliers. This type of castration is in disuse or prohibited in most countries. It leaves skin lesions for a long time (A), but also the marks in the scrotal content can be observed at the level of the vas deferens and even on the pampiniform plexus (B).

PERIORCHITIS



6.14. Periorchitis. Inflammation of the layers surrounding the testicle (vaginal, subcutaneous tissue and fasciae) can have an infectious or traumatic origin and cause an increase in the volume of the scrotal content (A). Occasionally, fibrinous masses accumulate between the two layers of the tunica vaginalis (B). Microbial contamination can cause fibrino-purulent masses (C and D).





8.21. Section of the hoof. Sectioning the hooves lets us see haemorrhages, oedemas and thrombi in the chorion (A). In some cases, separation and rotation of the third phalanx can be observed (B), which is appreciated in vivo by radiography (C) or computed tomography.

LAMENESS OF NEUROLOGIC ORIGIN



8.22. Enzootic ataxia or swayback. Enzootic ataxia is caused by a copper deficiency. It is a locomotor process resulting from an alteration in nerve impulse transmission, primarily affecting the hind limbs. The process mainly affects young animals in the first days of life (A) up to 2-3 months (B and C).



8.23. Congenital hypomyelogenesis. An intense demyelination is observed in the brain of a newborn lamb that died due to enzootic illness.



8.24. Lameness associated with myelitis. After caudotomy or tail docking, especially in surgical procedures, an infection can spread to the medullary canal, and cause myelitis with hindlimb paresis (A and B).




DISORDERS OF MUSCULAR ORIGIN

TUMOURS



8.45. Tumours. Muscle tumours affecting the limbs can also affect locomotor function.

IATROGENIC MUSCLE NECROSIS



8.44. Muscle necrosis. The application of substances by the intramuscular route in the thigh is relatively frequent. If the technique is inadequate or the product does not have the required quality, it can generate necrosis in the injection site (A). Sometimes, there may be a strong reaction with encystment of the necrotic area (B).

DISORDERS OF VASCULAR ORIGIN

OEDEMA



8.46. Oedema. Oedema of the declining areas of the body and limbs is frequent in animals at the end of pregnancy, as well as a consequence of cardiac, renal or hepatic disorders, in addition to appearing in digestive disorders with severe hypoproteinemia or infections. The picture shows oedema associated with a heart condition caused by an abscess that compressed the atria and hindered venous return.

THROMBOSIS



8.47. Thrombosis. Thrombi can be located in different vessels, affecting the vascularisation of the area. The image shows a thrombus located in the saphenous vein that affected locomotion.

MALIGNANT OEDEMA



8.48. Malignant oedema. Malignant oedema is an acute, generally fatal toxæmia usually caused by *Clostridium septicum*. It causes anorexia and high fever. The local lesions develop within 6-48 hours and are soft swellings (A) that crackle under pressure (B) and extend rapidly because of the formation of large quantities of exudate that infiltrate the subcutaneous and intramuscular connective tissue of the affected areas (C).